



**CITY OF TACOMA**  
**Public Work Engineering Division**

**ADDENDUM NO.1**

**DATE: 7/16/18**

**REVISIONS TO:**

**Request for Bids Specification No. PW18-0210F  
Street Initiative Package #12**

**NOTICE TO ALL BIDDERS:**

This addendum is issued to clarify, revise, add to or delete from, the original specification documents for the above project. This addendum, as integrated with the original specification documents, shall form the specification documents. The noted revisions shall take precedence over previously issued specification documents and shall become part of this contract.

**REVISIONS TO THE SUBMITTAL DEADLINE:**

The submittal deadline will stay the same.

**REVISIONS TO THE PROPOSAL PAGES:**

Remove the Bid Proposal in its entirety and replace with Bid Proposal labeled Addendum #1.

**REVISIONS TO THE GENERAL INFORMATION:**

Attached is the Signup sheet from the Pre- Bid meeting on July 16, 2018. Dated "7/16/18", 1 page.

NOTE: Acknowledge receipt of this addendum by initialing the corresponding space as indicated on the signature page. Vendors who have already submitted their bid/proposal may contact the Purchasing Division at 253-502-8468 and request return of their bid/proposal for acknowledgment and re-submittal. Or, a letter acknowledging receipt of this addendum may be submitted in an envelope marked Request for Bids Specification No. PW17-0210F Addendum No. 1. The City reserves the right to reject any and all bids, including, in certain circumstances, for failure to appropriately acknowledge this addendum.

cc: Darius Thompson, Public Works Engineering

## BID PROPOSAL

SPECIFICATION NO. PW18-0210F

Streets Initiative Package #12

The undersigned hereby certifies that he/she has examined the location and construction details of work as outlined on the Plans and Specifications for Project No. PWK-00434-12 and has read and thoroughly understands the Plans and Specifications and contract governing the work embraced in this improvement and the method by which payment will be made for said work, and hereby proposes to undertake and complete the work embraced in this improvement in accordance with said Plans, Specifications and contract and at the following schedule of rates and prices:

- NOTE: 1. Unit prices of all items, all extensions and total amount of bid should be shown. Show unit prices in figures only.
2. The notations below the item numbers refer to the specification section where information may be found regarding each contract item. These notations are intended only as a guide and are not warranted to refer to all specification sections where information may be found.

### SCHEDULE A: ROADWAY IMPROVEMENTS

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>ESTIMATED QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL AMOUNT</u>
R1. 1-05	Project Redline Drawings, per Lump Sum	1 LS	Lump Sum	\$ _____
R2. 1-07	SPCC Plan, per Lump Sum	1 LS	Lump Sum	\$ _____
R3. 1-09	Mobilization, per Lump Sum	1 LS	Lump Sum	\$ _____
R4. 1-10	Pedestrian Traffic Control, per Lump Sum	1 LS	Lump Sum	\$ _____
R5. 1-10	Project Temporary Traffic, per Lump Sum Control	1 LS	Lump Sum	\$ _____
R6. 2-01	Clearing and Grubbing, per Lump Sum	1 LS	Lump Sum	\$ _____
R7. 2-03	Roadway Excavation Incl. Haul, per Cubic Yard	2093 CY	\$ _____	\$ _____
R8. 2-03	Gravel Borrow Incl. Haul, Cubic Yard	36 CY	\$ _____	\$ _____

Addendum #1

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>ESTIMATED QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL AMOUNT</u>
R9. 2-06	Subgrade Maintenance and Protection, per Lump Sum	1 LS	Lump Sum	\$ _____
R10. 2-09	Structure Excavation Class B, per Cubic Yard	1098 CY	\$ _____	\$ _____
R11. 2-14	Shoring or Extra Excavation Class B, per Square Foot	8268 SF	\$ _____	\$ _____
R12. 2-14	Remove Existing Pavement, Type I, Class A, per Square Yard	18125 SY	\$ _____	\$ _____
R13. 2-14	Remove Existing Pavement, Type I, Class C6 per Square Yard	676 SY	\$ _____	\$ _____
R14. 2-14	Remove Existing Pavement, Type II, Class CA per Square Yard	181 SY	\$ _____	\$ _____
R15. 2-14	Remove Existing Pavement, Type II, Class T per Square Yard	165 SY	\$ _____	\$ _____
R16. 2-15	Remove Curb, per Linear Foot	1205 LF	\$ _____	\$ _____
R17. 2-16	Remove Catch Basin, per Each	9 EA	\$ _____	\$ _____
R18. 2-16	Remove Manhole, per Each	2 EA	\$ _____	\$ _____
R19. 4-04	Crushed Surfacing Top Course, per Ton	242 TN	\$ _____	\$ _____
R20. 4-04	Crushed Surfacing Base Course, per Ton	1386 TN	\$ _____	\$ _____
R21. 5-04	HMA CL 1/2" PG 58H-22, per Ton	3221 TN	\$ _____	\$ _____
R22. 5-04	HMA for Approach CL 3/8" PG 58H-22, per Square Yard	223 SY	\$ _____	\$ _____

Addendum #1

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>ESTIMATED QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL AMOUNT</u>
R23. 5-04	Cold Plant Mix for Temporary Pavement Patch, per Ton	19 TN	\$ _____	\$ _____
R24. 7-05	Adjust to Grade, per Each	3 EA	\$ _____	\$ _____
R25. 7-05	Adjust Existing Catch Basin, Furnish new Frame and Grate, per Each	13 EA	\$ _____	\$ _____
R26. 7-05	Adjust Existing Manhole, per Each	22 EA	\$ _____	\$ _____
R27. 7-05	Adjust Existing Valve Chamber to Grade, per Each	24 EA	\$ _____	\$ _____
R28. 7-05	Catch Basin Type 1, per Each	13 EA	\$ _____	\$ _____
R29. 7-05	Catch Basin Type 2, 48 In. Diam., per Each	1 EA	\$ _____	\$ _____
R30. 7-05	Manhole 48 In. Diam. Type 1, per Each	2 EA	\$ _____	\$ _____
R31. 7-05	Manhole 60 In. Diam. Type 1, per Each	1 EA	\$ _____	\$ _____
R32. 7-05	Manhole 48 In. Diam. Type 3, per Each	1 EA	\$ _____	\$ _____
R33. 7-05	Manhole Additional Height 48 In. Diam. Type 1, per Linear Foot	3 LF	\$ _____	\$ _____
R34. 7-05	Reconnect Existing Sewer Pipe, 8-In. Diam., to New Structure, per Each	3 EA	\$ _____	\$ _____
R35. 7-05	Reconnect Existing Sewer Pipe, 10-In. Diam., to New Structure, per Each	2 EA	\$ _____	\$ _____
R36. 7-05	Connect New Sewer Pipe, 12-In Diam., to Existing Structure, per Each	2 EA	\$ _____	\$ _____

Addendum #1

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>ESTIMATED QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL AMOUNT</u>
R37. 7-05	Connect New Sewer Pipe, 8-In Diam., to Existing Structure, per Each	1 EA	\$ _____	\$ _____
R38. 7-05	Pothole Existing Utility, per Linear Foot	15 LF	\$ _____	\$ _____
R39. 7-05	Abandon Existing Manhole, per Each	1 EA	\$ _____	\$ _____
R40. 7-08	Plugging Existing Pipe, per Each	1 EA	\$ _____	\$ _____
R41. 7-08	CDF for Pipe Abandonment, per Cubic Yard	8 CY	\$ _____	\$ _____
R42. 7-08	Temporary Storm Sewer Bypass, per Lump Sum	1 LS	Lump Sum	\$ _____
R43. 7-08	Temporary Storm Sewer Bypass plan, per Lump Sum	1 LS	Lump Sum	\$ _____
R44. 7-17	Removal and Replacement of Unsuitable Material Incl. Haul, per Cubic Yard	823 CY	\$ _____	\$ _____
R45. 7-17	Ductile Iron Sewer Pipe 8 In. Diam., per Linear Foot	16 LF	\$ _____	\$ _____
R46. 7-17	Ductile Iron Sewer Pipe 12 In. Diam., per Linear Foot	37 LF	\$ _____	\$ _____
R47. 7-17	PVC Storm Sewer Pipe 12 In. Diam., per Linear Foot	1038 LF	\$ _____	\$ _____
R48. 7-17	Testing Sewer Pipe, per Linear Foot	1091 LF	\$ _____	\$ _____
R49. 8-01	Erosion/Water Pollution Control, per Lump Sum	1 LS	Lump Sum	\$ _____
R50. 8-01	Stormwater Pollution Prevention Plan (SWPPP) , per Lump Sum	1 LS	Lump Sum	\$ _____

Addendum #1

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>ESTIMATED QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL AMOUNT</u>
R51. 8-01	NPDES Construction Stormwater General Permit, per Lump Sum	1 LS	Lump Sum	\$ _____
R52. 8-02	Site Restoration, per Lump Sum	1 LS	Lump Sum	\$ _____
R53. 8-04	Cement Conc. Traffic Curb and Gutter, per Linear Foot	1152 LF	\$ _____	\$ _____
R54. 8-13	Poured Monument, per Each	2 EA	\$ _____	\$ _____
R55. 8-14	Cement Conc. Sidewalk, per Square Yard	306 SY	\$ _____	\$ _____
R56. 8-14	Cement Conc. Curb Ramp, per Each	44 EA	\$ _____	\$ _____
R57. 8-14	Cement Conc. Curb Ramp with Asphalt Gutter, per Each	6 EA	\$ _____	\$ _____
R58. 8-21	Permanent Signing, Lump Sum	1 LS	Lump Sum	\$ _____

**ROADWAY IMPROVEMENTS TOTAL (Items R1-R58)** \$ \_\_\_\_\_ (1)

**SCHEDULE B: WASTEWATER IMPROVEMENTS**

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>ESTIMATED QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL AMOUNT</u>
WW-1. 1-05	Project Redline Drawings, per Lump Sum	1 Lump Sum	Lump Sum	\$ _____
WW-2. 1-09	Mobilization, per Lump Sum	1 Lump Sum	Lump Sum	\$ _____
WW-3. 1-10	Project Temporary Traffic Control, per Lump Sum	1 Lump Sum	Lump Sum	\$ _____
WW-4. 2-09	Structure Excavation Class B, per Cubic Yard	806 CY	\$ _____	\$ _____

Addendum #1

<u>ITEM NO.</u>	<u>ITEM DESCRIPTION</u>	<u>ESTIMATED QUANTITY</u>	<u>UNIT PRICE</u>	<u>TOTAL AMOUNT</u>
WW-5. 2-09	Shoring or Extra Excavation Class B, per Square Foot	6870 SF	\$ _____	\$ _____
WW-6. 5-04)	Cold Plant Mix for Temporary Pavement Patch, per Ton	10 TN	\$ _____	\$ _____
WW-7. 7-05	Manhole 48 In. Diam. Type 1, per Each	1 EA	\$ _____	\$ _____
WW-8. 7-05	Reconnect Existing Sewer Pipe, 8-In. Diam., to New Structure, per Each	1 EA	\$ _____	\$ _____
WW-9. 7-05	Connect New Sewer Pipe, 8-In Diam., to Existing Structure, per Each	3 EA	\$ _____	\$ _____
WW-10. 7-05	Pothole Existing Utility. Per Linear Foot	15 LF	\$ _____	\$ _____
WW-11. 7-08	Temporary Sanitary Sewer Bypass, Lump Sum	1 Lump Sum	Lump Sum	\$ _____
WW-12. 7-08	Temporary Sanitary Sewer Bypass plan, per Lump Sum	1 Lump Sum	Lump Sum	\$ _____
WW-13. 7-17	Removal and Replacement of Unsuitable Material Incl. Haul, Cubic Yard	740 CY	\$ _____	\$ _____
WW-14. 7-17	PVC Sanitary Sewer Pipe 8 In. Diam.,per Linear Foot	340 LF	\$ _____	\$ _____
WW-15. 7-17	Testing Sewer Pipe, per Linear Foot	340 LF	\$ _____	\$ _____

**WASTEWATER IMPROVEMENTS (WW-1-WW15)** \$ \_\_\_\_\_ (2)

10.1 Sales Tax (WW-1-WW-15) \$ \_\_\_\_\_ (3)

**TOTAL BID (1) + (2) + (3)** \$ \_\_\_\_\_

**Proposal for Incorporating Recycled Materials into the Project**

In compliance with a new law that went into effect January 1, 2016 (SHB1695), the Bidder shall propose below, the total percent of construction aggregate and concrete materials to be incorporated into the Project that are recycled materials. Calculated percentages must be within the amounts allowed in Section 9-03.21(1)E, Table on Maximum Allowable Percent (By Weight) of Recycled Material, of the Standard Specifications.

Proposed total percentage: \_\_\_\_\_ percent.

*Note: Use of recycled materials is highly encouraged within the limits shown above, but does not constitute a Bidder Preference, and will not affect the determination of award, unless two or more lowest responsive Bid totals are exactly equal, in which case proposed recycling percentages will be used as a tie-breaker, per the APWA GSP in Section 1-02.6 of the Special Provisions. Regardless, the Bidder's stated proposed percentages will become a goal the Contractor should do its best to accomplish. Bidders will be required to report on recycled materials actually incorporated into the Project, in accordance with the APWA GSP in Section 1-06.6 of the Special Provisions.*

Bidder: \_\_\_\_\_  
Signature of Authorized Official: \_\_\_\_\_  
Date: \_\_\_\_\_



