



Employee NEWSLETTER

Employee Assistance Program
April 2020

Tips for Social Distancing, Quarantine, and Isolation

In the event of an infectious disease outbreak, such as COVID-19, local officials may require the public to take measures to limit and control the spread of the disease. This tip sheet provides information about social distancing, quarantine, and isolation.

The government has the right to enforce federal and state laws related to public health if people within the country get sick with highly contagious diseases that have the potential to develop into outbreaks or pandemics. This tip sheet describes feelings and thoughts you may have during and after social distancing, quarantine, and isolation. It also suggests ways to care for your behavioral health during these experiences and provides resources for more help.

What To Expect: Typical Reactions

Everyone reacts differently to stressful situations such as an infectious disease outbreak that requires social distancing, quarantine, or isolation. People may feel:

Anxiety, worry, or fear related to:

- Your own health status
- The health status of others whom you may have exposed to the disease

- The resentment that your friends and family may feel if they need to go into quarantine as a result of contact with you
- The experience of monitoring yourself, or being monitored by others for signs and symptoms of the disease
- Time taken off from work and the potential loss of income and job security
- The challenges of securing things you need, such as groceries and personal care items
- Concern about being able to effectively care for children or others in your care
- Uncertainty or frustration about how long you will need to remain in this situation, and uncertainty about the future
- Loneliness associated with feeling cut off from the world and from loved ones
- Anger if you think you were exposed to the disease because of others' negligence
- Boredom and frustration because you may not be able to work or engage in regular day-to-day activities
- Uncertainty or ambivalence about the situation
- A desire to use alcohol or drugs to cope
- Symptoms of depression, such as feelings of hopelessness, changes in appetite, or sleeping too little or too much
- Symptoms of post-traumatic stress disorder (PTSD), such as intrusive distressing memories, flashbacks (reliving the event), nightmares, changes in thoughts and mood, and being easily startled

Continued on the next page.

Continued from the previous page.

Ways to Support Yourself

Understand the risk: Consider the real risk of harm to yourself and others around you. The public perception of risk during a situation such as an infectious disease outbreak is often inaccurate. Media coverage may create the impression that people are in immediate danger when really the risk for infection may be very low. Take steps to get the facts:

- Stay up to date on what is happening, while limiting your media exposure. Avoid watching or listening to news reports 24/7 since this tends to increase anxiety and worry. Remember that children are especially affected by what they hear and see on television.
- Look to credible sources for information on the infectious disease outbreak.

Be your own advocate: Speaking out about your needs is particularly important if you are in quarantine, since you may not be in a hospital or other facility where your basic needs are met. Ensure you have what you need to feel safe, secure, and comfortable.

- Work with local, state, or national health officials to find out how you can arrange for groceries and toiletries to be delivered to your home as needed.
- Inform health care providers or health authorities of any needed medications and work with them to ensure that you continue to receive those medications.

Educate yourself: Healthcare providers and health authorities should provide information on the disease, its diagnosis, and treatment.

- Do not be afraid to ask questions—clear communication with a health care provider may help reduce any distress associated with social distancing, quarantine, or isolation.
- Ask for written information when available.
- Ask a family member or friend to obtain information in the event that you are unable to secure this information on your own.

Connect with others: Reaching out to people you trust is one of the best ways to reduce anxiety, depression, loneliness, and boredom during social distancing, quarantine, and isolation. You can:

- Use the telephone, email, text messaging, and social media to connect with friends, family, and others.
- Talk “face to face” with friends and loved ones using Skype or FaceTime.
- If approved by health authorities and your health care providers, arrange for your friends and loved ones to bring you newspapers, movies, and books.
- Sign up for emergency alerts via text or email to ensure you get updates as soon as they are available.
- Use the Internet, radio, and television to keep up with local, national, and world events.
- If you need to connect with someone because of an ongoing alcohol or drug problem, consider calling your local Alcoholics Anonymous or Narcotics Anonymous offices.

Use practical ways to cope and relax:

- Relax your body often by doing things that work for you—take deep breaths, stretch, meditate or pray, or engage in activities you enjoy.
- Pace yourself between stressful activities, and do something fun after a hard task.
- Talk about your experiences and feelings to loved ones and friends, if you find it helpful.
- Maintain a sense of hope and positive thinking; consider keeping a journal where you write down things you are grateful for or that are going well.

Your EAP is here to provide you with emotional support, advice, and counseling. You can reach us by phone 24/7 at (800) 777-4114 to speak with a counselor or arrange for in-person sessions, or request services via our online portal: www.firstchoiceeap.com.

©SAMHSA: HHS Publication No. SMA-14-4894 (2014)