



CITY OF TACOMA

Page 1 of 8

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
plainly marked with this

REQUEST FOR QUOTATION 6000052409

**Return Bids By 11:00 AM, 10/25/2023
to: sendbid@cityoftacoma.org**

Merry Elizabeth Mitchell
Water Purchasing
ABN 4th Floor NE
3628 South 35th Street
Tacoma WA 98409

Material will ship to:

Water Warehouse
3506 S 35th St
Tacoma WA 98409

RFQ Information

Collective Bid #	TW23-0261N
Bid Issue Date	10/18/2023
Vendor Number	109226 WEB VENDOR FOR RFQ

Vendor Information (vendor to complete)

Firm Name:	
Address:	
City/State/Zip	/ /
Phone/Fax	/
E-Mail	
Contact Name	
Payment Terms	%, days (e.g. 2% 10,N30)
Tacoma Bus. Lic. #	
Taxpayer ID #	

SIGNATURE OF PERSON AUTHORIZED TO SIGN THIS BID

x _____ DATE: ____ / ____ / ____
NAME : _____
TITLE : _____

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>The City of Tacoma is soliciting bids for purchase of Hardware Non-Electrical (Stock) and Electrical Hardware Utility (Stock) Submittals may be e-mailed to sendbid@cityoftacoma.org for this solicitation.</p> <p>Please include the Collective Bid Number, TW23-0261N, in the subject line of your e-mail.</p> <p>Bids are subject to the submittal deadline noted in the bid solicitation document. The time of e-mail receipt will be considered as the time of submittal. The City accepts no responsibility for transmission errors.</p> <p>We are unable to verify receipt of submittals due to the large volume of submittals received.</p> <p>Extend net price and provide net total value. All bid pricing shall be FOB Destination, freight prepaid and included in the unit price.</p> <p>Materials must be new and unused. No substitutes are allowed. Substitute items will be returned at vendor's expense.</p>					



CITY OF TACOMA

Page 2 of 8

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
plainly marked with this

REQUEST FOR QUOTATION 6000052409

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>Delivery date will default to two weeks ARO if vendor fails to provide.</p> <p>Please Circle or underline the part number and manufacturer quoted or bid may be considered non-responsive.</p> <p>If applicable, you must select from the approved manufacturer(s) listed. Substitutions will not be approved at the time of the bid awarding. If you have a material that you would like to have added, it must be submitted for review and approved by the City of Tacoma's Material Committee before the bid issue date listed on this request for quotation. For more information regarding this process, please contact: Merry Mitchell, mmitchell@cityoftacoma.org</p> <p>Responses MUST BE SUBMITTED on the provided City of Tacoma bid solicitation form. Vendor signature is MANDATORY.</p> <p>Bid results will be posted at: http://www.cityoftacoma.org/government/city_departments/finance/procurement_and_payables_division/purchasing/bid_results/</p> <p>Note: You must register at this website as a bid holder for each solicitation of interest in order to receive notification regarding amendments or other updates to the original bid solicitation documents.</p> <p>City Contact: Merry Mitchell, mmitchell@cityoftacoma.org</p>					



CITY OF TACOMA

Page 3 of 8

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
plainly marked with this

REQUEST FOR QUOTATION 6000052409

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
10	31872	<p>RISER,60IN X 60IN X 18IN,VAULT,CONCRETE, FFRISER, VAULT, CONCRETE, REINFORCED, CERTIFIED H-20 LOAD RATING. OUTSIDE DIMENSIONS- 60 INCHES X 60 INCHES X 18 INCHES HIGH. SIX (6) INCH WALL THICKNESS. FLAT TOP AND BOTTOM, 5/8-INCH STAINLESS STEEL LIFT INSERTS ON TOP OF EACH CORNER WITH REMOVABLE PLASTIC PLUGS INSTALLED.</p> <p>MANUFACTURED USING TACOMA WATER FORMS. FORMS CAN BE PICKED UP AND DROPPED OFF AT</p> <p>TACOMA WATER WAREHOUSE 3506 S. 35TH STREET TACOMA, WA. 98409 253-502-8239</p> <p>"BETWEEN THE HOURS OF 9:00 TO 3:30 THE HOURS ON WEEKDAYS, EXCEPT ON RECOGNIZED HOLIDAYS"</p>		6	EA		



CITY OF TACOMA

Page 4 of 8

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
plainly marked with this

REQUEST FOR QUOTATION 6000052409

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
20	31872	<p>RISER,60IN X 60IN X 18IN,VAULT,CONCRETE, FFRISER, VAULT, CONCRETE, REINFORCED, CERTIFIED H-20 LOAD RATING. OUTSIDE DIMENSIONS- 60 INCHES X 60 INCHES X 18 INCHES HIGH. SIX (6) INCH WALL THICKNESS. FLAT TOP AND BOTTOM, 5/8-INCH STAINLESS STEEL LIFT INSERTS ON TOP OF EACH CORNER WITH REMOVABLE PLASTIC PLUGS INSTALLED.</p> <p>MANUFACTURED USING TACOMA WATER FORMS. FORMS CAN BE PICKED UP AND DROPPED OFF AT</p> <p>TACOMA WATER WAREHOUSE 3506 S. 35TH STREET TACOMA, WA. 98409 253-502-8239</p> <p>"BETWEEN THE HOURS OF 9:00 TO 3:30 THE HOURS ON WEEKDAYS, EXCEPT ON RECOGNIZED HOLIDAYS"</p>		6	EA		
30	32119	<p>NIPPLE,1IN X CLOSE,RED BRASS NIPPLE,RED BRASS ,1IN X CLOSE, (1IN X 1-1/2IN)</p> <p>MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT.</p>		15	EA		



CITY OF TACOMA

Page 5 of 8

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
plainly marked with this

REQUEST FOR QUOTATION 6000052409

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total									
40	35603	<p>YOKE,1IN,RESETTER</p> <p>YOKE, RESETTER, 1 INCH X 12 INCH H, FOR 1 INCH METERS, FULL PORT BALL VALVE ON METER INLET, METER SWIVEL NUT OUTLET. , ALL MATERIALS USED IN THE CONSTRUCTION OF THE RESETTERS SHALL BE NEW AND CONFORM TO THE APPLICABLE SECTIONS OF THE LATEST REVISION OF AWWA STANDARD C800.</p> <p>BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600.</p> <p>*NOT ACCEPTABLE MUELLER*</p> <table><tr><td>Material #</td><td>Manf Part#</td><td>Manufacturer Name</td></tr><tr><td>10004528</td><td>VB4412WNL</td><td>FORD METER BOX CO</td></tr><tr><td>10004527</td><td>718-412JX</td><td>A.Y. MCDONALD</td></tr></table>	Material #	Manf Part#	Manufacturer Name	10004528	VB4412WNL	FORD METER BOX CO	10004527	718-412JX	A.Y. MCDONALD		20	EA		
Material #	Manf Part#	Manufacturer Name														
10004528	VB4412WNL	FORD METER BOX CO														
10004527	718-412JX	A.Y. MCDONALD														
50	65830	<p>COUPLING,6IN,TRANSITION</p> <p>COUPLING, 6 INCH, TRANSITION, EXTENDED RANGE 6.60 IN TO 7.60 IN, DUCTILE IRON BODY, GLANDS AND BOLT GUIDES, NITRILE GASKETS, STAINLESS STEEL BOLTS, FUSION BONDED EPOXY COATED, WORKING PRESSURE UP TO 260 PSI, NSF 372 CERTIFIED. APPROVED: ROMAC MACRO HP EXTENDED RANGE COUPLING</p>		16	EA											



CITY OF TACOMA

Page 6 of 8

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
plainly marked with this

REQUEST FOR QUOTATION 6000052409

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
60	30969	<p>EXTENSION,42IN,GATE STEM,VALVE OPERATING</p> <p>EXTENSION, GATE VALVE OPERATING, 42 INCH OVERALL LENGTH INCLUDING GATE NUT, WITH GATE NUT & SOCKET, PRIME PAINTED. TO OPERATE BURIED VALVES. SOLID STEEL SHAFT WITH 2" TOP/OPERATING NUT AND 2" BOTTOM SOCKET DESIGNED TO FIT AWWA WRENCH NUTS DESCRIBED IN SECTION 4.4.7. IN AWWA/ANSI STANDARD C509 AND C515, WITH 4" TO 4-1/2" CENTERING RING LOCATED APPROXIMATILY 2-1/2" BELOW THE BOTTOM EDGE OF THE OPERATING NUT</p> <p>NOTE:Water Key doesn't have stock numbers for 18", 30" and 42" extensions, but they will make them to any length specified.</p> <p>APPROVED: WATER KEY PRODUCT OLYMPIC FOUNDRY INC. PART NO. VSE OR APPROVED EQUAL</p> <p>NOT APPROVED: FERGUSON ENTERPRISES "PROSELECT" EXTENSIONS WITH TUBE STEMS</p>		10	EA		



CITY OF TACOMA

Page 7 of 8

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
plainly marked with this

REQUEST FOR QUOTATION 6000052409

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
70	30970	EXTENSION,48IN,GATE STEM,VALVE OPERATING EXTENSION, GATE VALVE OPERATING, 48 INCH OVERALL LENGTH INCLUDING GATE NUT, WITH GATE NUT & SOCKET, PRIME PAINTED. TO OPERATE BURIED VALVES. SOLID STEEL SHAFT WITH 2" TOP/OPERATING NUT AND 2" BOTTOM SOCKET DESIGNED TO FIT AWWA WRENCH NUTS DESCRIBED IN SECTION 4.4.7. IN AWWA/ANSI STANDARD C509 AND C515, WITH 4" TO 4-1/2" CENTERING RING LOCATED APPROXIMATELY 2-1/2" BELOW THE BOTTOM EDGE OF THE OPERATING NUT APPROVED: WATER KEY PRODUCT NO VE-04 OLMPIC FOUNDRY INC. PART NO. VSE OR APPROVED EQUAL NOT APPROVED: FERGUSON ENTERPRISES "PROSELECT" EXTENSIONS WITH TUBE STEMS		25	EA		
80	35492	CLAMP,6IN X 2IN CC,SVC,CI/AC PIPE CLAMP,SERVICE, 6" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS,(4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC		8	EA		



CITY OF TACOMA

Page 8 of 8

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
plainly marked with this

REQUEST FOR QUOTATION 6000052409

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
90	78668	COVER,SMALL,METER BOX,ARMORCAST COVER,METER BOX,SMALL,AMI SENSUS 520 FLEXNET CORE,STAMPED "TACOMA WATER" OR "WATER METER",MINIMUM 20,000 PSI LOAD RATING FOR INCIDENTAL TRAFFIC SUCH AS IN DRIVEWAYS AND PARKING LOTS. SAND COLOR, COVER DIMENSIONS 18-1/8" x 11-1/4" x 1-3/4" THICK, 1-3/8" RADIUS ON THE COVER CORNERS. AMR PENETRATION 4" DIAMETER 1/2" DEEP RECESS FOR SENSUS FLEX NET ANTENNA OR TOUCH PAD,AND 2" DIAMETER PENETRATION THROUGH THE COVER WITH THE CENTER BEING 3-1/2" FROM THE TOP AND SIDE EDGES AS APPROVED BY TACOMA WATER. THE COVERS MUST NOT BE BUOYANT. APPROVED: ARMORCAST A6000484T-H7 Material # Manf Part# Manufacturer Name 78668 A6000484T-H7 ARMORCAST		100	EA		

Net Value	\$
Plus Tax at _____%	\$
Total Amount	\$