





Figure G-1a
Total Suspended Solids (TSS) Year-by-Year Comparison in Stormwater
October 2001-September 2017






— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-1b
Total Suspended Solids (TSS) Year-by-Year Comparison in Stormwater
October 2001-September 2017







— Median * Moderate Outlier o Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-2a
Total Lead Year-by-Year Comparison in Stormwater
October 2001-September 2017






— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-2b
Total Lead Year-by-Year Comparison in Stormwater
October 2001-September 2017







— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-3a
Total Zinc Year-by-Year Comparison in Stormwater
October 2001-September 2017






— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-3b
Total Zinc Year-by-Year Comparison in Stormwater
October 2001-September 2017







— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-4a
Phenanthrene Year-by-Year Comparison in Stormwater
October 2001-September 2017




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.


Figure G-4b
Phenanthrene Year-by-Year Comparison in Stormwater
October 2001-September 2017



Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.




Figure G-5a
Total Copper Year-by-Year Comparison in Stormwater
October 2001-September 2017



Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-5b
Total Copper Year-by-Year Comparison in Stormwater
October 2001-September 2017




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-6a
Indeno(1,2,3-cd)pyrene Year-by-Year Comparison in Stormwater
October 2001-September 2017




Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.


Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-6b
Indeno(1,2,3-cd)pyrene Year-by-Year Comparison in Stormwater
October 2001-September 2017


243



245



254




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-7a
Pyrene Year-by-Year Comparison in Stormwater
October 2001-September 2017






— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-7b
Pyrene Year-by-Year Comparison in Stormwater
October 2001-September 2017







— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-8a
Di(2-ethylhexyl)phthalate (DEHP) Year-by-Year Comparison in Stormwater
October 2001-September 2017






— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-8b
Di(2-ethylhexyl)phthalate (DEHP) Year-by-Year Comparison in Stormwater
October 2001-September 2017




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.




Figure G-9a
Total LPAHs Year-by-Year Comparison in Stormwater
October 2001-September 2017



Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-9b
Total LPAHs Year-by-Year Comparison in Stormwater
October 2001-September 2017







— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-10a
Total HPAHs Year-by-Year Comparison in Stormwater
October 2001-September 2017




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.





Figure G-10b
Total HPAHs Year-by-Year Comparison in Stormwater
October 2001-September 2017



Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-11a
Total Suspended Solids (TSS) Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.


Figure G-11b
Total Suspended Solids (TSS) Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017



Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.


Figure G-12a
Total Lead Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017



Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-12b
Total Lead Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017







— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-13a
Total Zinc Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017






— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-13b
Total Zinc Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017







— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-14a
Phenanthrene Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-14b
Phenanthrene Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-15a
Total Copper Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017






— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-15b
Total Copper Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-16a
Indeno(1,2,3-cd)pyrene Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017






— Median * Moderate Outlier o Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.


Figure G-16b
Indeno(1,2,3-cd)pyrene Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017



— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.
 Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-17a
Pyrene Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017




— Median * Moderate Outlier o Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-17b
Pyrene Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017







— Median * Moderate Outlier o Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-18a
Di(2-ethylhexyl)phthalate (DEHP) Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017




— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-18b
Di(2-ethylhexyl)phthalate (DEHP) Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017




— Median * Moderate Outlier o Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-19a
Total LPAHs Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017




— Median * Moderate Outlier o Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.


Figure G-19b
Total LPAHs Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017



Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-20a
Total HPAHs Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017




Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.


Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.

Figure G-20b
Total HPAHs Year-by-Year Comparison in Stormwater [Log Scale]
October 2001-September 2017


243



245



254



— Median * Moderate Outlier ○ Extreme Outlier

Notes: ^ Extreme outliers exceeding maximum y-scale with result posted.

Tukey Box boundaries display the interquartile range (IQR) of the distribution ranging from the first quartile to the third. The central 50% of data is within the box boundaries. The whiskers represent the remaining data minus the outliers. The moderate outlier value is greater than the third quartile plus 1.5*IQR or less than the first quartile minus 1.5*IQR. The extreme outlier value is greater than the third quartile plus 3.0*IQR or less than the first quartile minus 3.0*IQR.